







VENTILATION FAN

VENTUS


SERIES



FEATURES



COLOUR





ED	SIZE	WATT	RPM
SPEED	150 MM	30	1420
NORMAL	200 MM	32	1385
NOR	250 MM	35	1350
0	SIZE	WATT	RPM
IGH SPEED	150 MM	48	2500
	200 MM	65	2050
王			

2150

airguidehometech.com

CHARGEABLE **PEDESTAL FAN**

AG-5010

5 WIND SPEED **ADJUSTMENTS**

OSCILLATING

STAND/ TABLE FAN

BUTTON CONTROL & REMOTE CONTROL

LED NIGHT LIGHT

OPTIONS





airguidehometech.com





CONTROL METHOD

REMOTE/ BUTTON



CHARGEABLE EMERGENCY WALL FAN

AG-5826F

9V DC INPUT

OVER-CHARGE & OVER-DISCHARGE **PROTECTION**

CHARGING INDICATOR

FULL-CHARGED INDICATOR

COLOUR OPTIONS









VOLTAGE	110-240V
WATTAGE	35W
WIND SPEED ADJUSTMENTS	LOW/MID/HIGH
BATTERY	6000 mAh LITHIUM-ION BATTERY
AIR DELIVERY	3.5 M/s-5.6 M/s
CONTROL METHOD	PULL/BUTTON/REMOTE
OPERATING TIME	FAN 2.5 hrs/4 hrs/8 hrs
	LED UPTO 70 hrs

FEATURES



TABLE FAN

A G - T C 3 0 5 A















Blade Size	4 inches		
Motor Type	BLDC	ec v	10
Operating	Low	Middle	High
Time	6-7 hrs	2.5-3 hrs	1.5-2 hrs
Charging Tir	ne 2 hrs		
Battery	1500	mAh Chang	jeable
RPM	Low	Middle	High
KEIVI	1100±100	2200±100	3800±100

AG-TM5032F

Blade Size	4 incl	hes	
Motor Type	BLDC		12:
Operating	Low	Middle	High
Time	8-9 hrs	4-5 hrs	2.5-3 hrs
Charging Ti	me 5 hrs		
Battery	2200	mAh	
RPM	Low	Middle	High
KLIVI	2000±100	3000±100	3600±100

3 COLOUR OPTIONS





AG-TM5156F

Blade Size	6 incl	6 inches DC Motor		
Motor Type	DC M			
Operating	Low	Middle	High	
Time	8-9 hrs	3.5-4 hrs	1.6-1.8 hrs	
Charging Tir	ne 5-7 h	rs		
Battery	2pcs	1200 mAh C	hangeable	
RPM	Low	Middle	High	
KEW	1100±100	1800±100	2500±100	



AG-TM5146F



Blade Size	6 inches			
Motor Type	DC M	DC Motor		
Operating	Low	Middle	High	
Time	8-9 hrs 3.5-4 hrs		1.6-1.8 hrs	
Charging Tir	ne 5-7 h	rs		
Battery	2pcs	1200 mAh C	hangeable	
RPM	Low	Middle	High	
KFIVI	1100±100	1800±100	2500±100	

AG-TM8128F (oscillating)

Blade Size	7.5 inches		
Motor Type	DC Motor		550
Operating Time	Low	Middle	High
	8-9 hrs	4-4.5 hrs	1.8-2.2 hrs
Charging Ti	me 6-81	hrs	t.
Battery	2pcs	1500 mAh d	hangeable
RPM	Low	Middle	High
IXT IVI	1100±100	1500±100	2100±100





AG-TM8138F (oscillating)

Blade Size	7.5 inches		
Motor Type	DC M	otor	
Operating	Low	Middle	High
Time	8-9 hrs 4-4-5 hrs		1.8-2.2 hrs
Charging Tir	ne 6-8 h	rs	
Battery	2pcs 1500 mAh changeable		
RPM	Low	Middle	High
IVI-IMI 0	1100±100	1500±100	2100±100



AG-TM506F



Blade Size	6 inc	hes	
Motor Type	ype DC Motor		
Operating	Low	Middle	High
Time	8-9 hrs 3.5-4 hrs		1.6-1.8 hrs
Charging Ti	me 5-7 h	ırs	
Battery	2pcs	1200 mAh C	hangeable
RPM	Low	Middle	High
Krivi	1100±100	1800±100	2500±100

AG-TM8078F (oscillating)

Blade Size	7.5 inches		
Motor Type	DC Motor		1777
Operating	Low	Middle	High
Time	8-9 hrs 4-4.5 hrs		1.8-2.2 hrs
Charging Ti	me 6-8 l	nrs	
Battery	2pcs	1500 mAh c	hangeable
RPM	Low	Middle	High
KEW	1100±100	1500±100	2100±100





AG-TM5004F (oscillating)

Blade Size	4 inches		
Motor Type	BLDC	0)	
Operating	Low	Middle	High
Time	6-7 hrs	2.5-3 hrs	1.5-2 hrs
Charging Ti	me 2 hrs		
Battery	1500 mAh changeable		
RPM	Low	Middle	High
KEIVI	1100±100	2200±100	3800±100



AG-TC315

1	IIIS	n
۵Ú	_	7

Blade Size		4 inches				
Motor	Туре	BLDC				
Speed		100 Step	os			
Operating Time		1.5-5 hrs				
Charging Time		2-3 hrs				
Batter	у	1800 m	۸h			
RPM	1		25	50		
	1590±10	0 1890)±100	2090±100		
	7	5		100		
	2300	±100	2	430±100		

AG-TC319

Blade Size		4 inches					
Motor	Туре	BL	DC				
Speed	Speed		0 Steps				
Opera	perating Time 1.		5-5 hrs				
Charg	Charging Time		2-3 hrs				
Batter	у	18	00 mAh				
RPM 1 1530±10 7 2240			25	50			
		0	1830±100	2030±100			
		5		100			
		±10	0 2	370±100			



AG-TM5056F

	E C T
COLOUR OPTIONS	C E R
OPTIONS	

Motor Type	6 inc	hes		
Blade Size	BLDC	:		Wi
Operating	Low	Low Medium 10 hrs 7 hrs		Middle
Time	10 hrs			4.5 hrs
	High		Turbo	
	3 hrs		2.5 hrs	
Charging T	ime 6-8	hrs		
Battery	3600	mAh C	han	geable
RPM	Low	Medium		Middle
	1250±100	1600±100		2000±100
5	High		Turbo	
	2300±10	00	2	500±100



AG-TC318



Blade Size		7 i	7 inches				
Motor '	Туре	BL	DC				
Speed		10	0 Steps				
Opera	Operating Time		-5 hrs				
Charging Time		2-3 hrs					
Battery		18	00 mAh				
RPM	ă		25	50			
1530±10 7 2250		0	1830±100	2060±100			
		5		100			
		±10	0 2	2380±100			

AG-TC316A

Blade Size	Э	5 inc	hes			
Motor Type		BLDC				
Speed		3 Steps				
Operating Time		1.5-5 hrs				
Charging Time		2-3 hrs				
Battery	211	2000	mAh	11.		
RPM	ı	.ow	Middle	High		
Krivi	143	0±100	1950±100	2830±100		



S COLOUR OPTIONS

AG-TC121B (oscillating)

Blade Size		6.5 inches				
Motor Type		BLDC				
Speed		3 Steps				
Operating Time		3-6 hrs				
Charging Time		2-3 hrs				
Battery		4000	mAh			
RPM		.ow	Middle	High		
)±100	1500±100	1800±100		



AG-TBF104



Blade Size	5 incl	5 inches				
Motor Type	BLDC	11	20.			
Operating	Low	Middle	High 3 hrs			
Time	12 hrs	6 hrs				
Charging Ti	me 2 hrs					
Battery	3600	mAh	r.			
RPM	Low	Middle	High			
KEW	4010±100	4710±100	5310±100			

AG-TBF16

Blade Size	5 inc	5 inches					
Motor Type	BLDC	50	etc.				
Operating	Low	Middle	High				
Time	11 hrs	3 hrs					
Charging Ti	me 2 hrs		1.00				
Battery	4000	mAh	411:				
RPM	Low	Middle	High				
KT IVI	1300±100	1900±100	2500±100				



AG-TBS6

	Motor	Туре	5	inches	ž.
	Blade :	Size	BL	DC	
	Operat	ing	Low		Мес
	Time		11 hrs		7.5
		İ	н	igh	
			4.5	hrs	
The Property of the Parket of	Chargi	ng Tin	ne 2.	5 hrs	
	Battery	/	36	00 m	٩h
2	RPM	L	ow	Мес	liun
COLOUR		1420	±100	1630	±10
			High		
		i	920±10	0	

Motor T	ype	ype 5				
Blade Size		BLI	DC		400	
Operating Time		Low	N	Medium	Middle	
		11 hrs	s 7.5 hrs		6.5 hrs	
		Hi	High		Turbo	
		4.5	.5 hrs		3.5 hrs	
Chargir	ng Tin	ne 2.5	hrs	'		
Battery		36	00 mA	h		
RPM	L	ow Me		ium	Middle	
14)±100	1630	±100	1840±100	
		High		Turbo		
Ī	1	920±100	0 21		160±100	



AG-TZ1139



Blade Size	4 inches	
Wind Speed	4	
Motor Type	BLDC	
Operating Time	3-5 hrs	
Charging Time	4.5 hrs	
Battery	3000 mAh	
RPM	1850-2900	

AG-TZ35

Blade Size	4 inches	
Wind Speed	4	
Motor Type	BLDC	
Operating Time	2-9 hrs	
Charging Time	2-3 hrs	
Battery	3000 mAh	
RPM	2000-2800	



3 COLOUR OPTIONS

AG-TZ969

RPM	1500-2200	
Battery	2000 mAh	
Charging Time	5 hrs	
Operating Time	3.5-10 hrs	
Motor Type	BLDC	
Wind Speed	3	
Blade Size	5 inches	





AG-TZ525 (oscillating)

Blade Size	6.5 inches	
Wind Speed	4	
Motor Type	BLDC	
Operating Time	4-12 hrs	
Charging Time	5 hrs	
Battery	5000 mAh	
RPM	1300-2000	

AG-TZ209

RPM	1700-2600	
Battery	4000 mAh	
Charging Time	5 hrs	
Operating Time	4-9 hrs	
Motor Type	BLDC	
Water Tank	80 ml	
Wind Speed	5	
Blade Size	4 inches	





AG-TA96-2/4 (oscillating)

Blade Size	5 inches
Motor Type	BLDC
Operating Time	1-11 hrs/ 2-23 hrs
Charging Time	3.5 hrs/ 3-4 hrs
Battery	2000 mAh/ 4000 mAh
RPM	Upto 4300



PERSONAL HANDHELD FANS

A G - H C 3 5 8 A







airguidehometech.com



FEATURES	A	_
MOTOR TYPE	BLDC	
OPERATING TIME	1.5-8.5 HRS	
CHARGING TIME	5-6 HRS	
BATTERY	4000 mAh	
FEATURES	100 STEP ADJUSTMENTS	

COOLING PLATE

DIGITAL DISPLAY



AG-HC303



Motor Type	BLDC
Operating Time	2-7 hrs
Charging Time	4-4.5 hrs
Battery	3000 mAh
Features	100 Step Adjustments Digital Display Transparent Design

AG-HC331B

Motor Type	BLDC
Operating Time	1-7 hrs
Charging Time	4-4.5 hrs
Battery	3000 mAh
Features	100 Step Adjustments Digital Display Transparent Design Cooling Plate





AG-HC320

Motor Type	BLDC
Operating Time	4-9 hrs
Charging Time	3-4 hrs
Battery	2000 mAh
Features	100 Step Adjustments Digital Display Attachment For Table Use Transparent Design



AG-HZ1162



Motor Type	BLDC
Operating Time	2.5-11 hrs
Charging Time	5.5 hrs
Battery	3000 mAh
Features	100 Step Adjustments Digital Display Transparent Design

AG-HZ1192

Motor Type	BLDC
Operating Time	2-12 hrs
Charging Time	6 hrs
Battery	4000 mAh
Features	100 Step Adjustments Digital Display Cooling Plate



AG-HZ203



Motor Type	BLDC
Operating Time	2-5 hrs
Charging Time	3 hrs
Battery	3000 mAh
Features	100 Step Adjustments, Digital Display, Transparent Design with Cartoon Printing



AG-HA96



Motor Type	BLDC
Operating Time	1-5 hrs
Charging Time	4.5 hrs
Battery	3000 mAh
Features	100 Step Adjustments, Digital Display, Speed based lighting, Cooling Plate

AG-HA508

Motor Type	BLDC
Operating Time	1-5 hrs
Charging Time	4.5 hrs
Battery	3600 mAh
Features	100 Step Adjustments, Digital Display, Cooling Plate





AG-HA23

Motor Type	BLDC
Operating Time	2-7 hrs
Charging Time	4 hrs
Battery	3000 mAh
Features	100 step adjustments Digital Display, 90 degree folding design Cooling Plate



AG-HA25



Motor Type	BLDC
Operating Time	1.5-3 hrs
Charging Time	1.5 hrs
Battery	800 mAh
Features	Super Lightweight and Portable LED Night Light

AG-HA27

Motor Type	BLDC
Operating Time	1.5-3 hrs
Charging Time	2 hrs
Battery	1200 mAh
Features	3 speed adjustments, 3-in-1 usage: Handheld, tabletop or wearable around the neck.



COLOUR OPTIONS

AG-HA03

Motor Type	BLDC
Operating Time	1.5-7 hrs
Charging Time	3 hrs
Battery	3000 mAh
Features	4 speed adjustments, Cooling funtion, 3-in-1 usage: Handheld, tabletop & mobile stand



TORCH

G-D8B & D8D












FG-8924



Power	lw	
Charging Time	1 hr	
Working Time	3 hrs	
Battery Capacity	400mAh	
Material	ABS + PMMA	

FG-8925





COLOUR

EC-	Q Q	2
FG-	00	23

Power	2w	
Charging Time	1 hr	
Working Time	3 hrs	
Battery Capacity	400mAh	
Material	ABS + PMMA	



FG-8926

7

Power	2w	
Charging Time	1 hr	
Working Time	3 hrs	
Battery Capacity	400mAh	
Material	ABS + PMMA	

FG-8903

Power	lw	
Charging Time	2.5 hrs	
Working Time	3.5 hrs	
Battery Capacity	400mAh	
Material	ABS + PMMA	





FG-8909

Power	0.5w	
Charging time	1.5 hrs	
Working Time	2 hrs	
Battery Capacity	400mAh	
Material	ABS + PMMA	




FG-8902



Power	0.5w	
Charging Time	4 hrs	
Working Time	4 hrs	
Battery Capacity	400mAh	
Material	ABS + PMMA	

MG-8118M





MG-8122M



ower	3w	
Charging Time	3-4 hrs	
Vorking Time	5-6 hrs	
attery Capacity	1500 mAh	
Material	ABS + PMMA	



FG-8924-8927



Power	1w - 2w	
Charging Time	1 hr	
Working Time	3 hrs	
Battery Capacity	400mAh	
Material	ABS + PMMA	

FG-8908

Power	lw	
Charging Time	1 hr	
Working Time	3 hrs	
Battery Capacity	400mAh	
Material	ABS + PMMA	





G-D6

Power	5w	
Charging Time	3-4 hrs	
Working Time	8-10 hrs	
Battery Capacity	1200 mAh	
Material	ABS + PMMA	



G-YB-50



Power	3w
Charging Time	4-5 hrs
Working Time	5-8 hrs
Battery Capacity	1200 mAh
Material	Aluminum + PMMA

G-YB-48

Power	3w
Charging Time	4-5 hrs
Working Time	5-8 hrs
Battery Capacity	1200 mAh
Material	Aluminum + PMMA





MG-8643M

Power	3w + 2w	
Charging Time	3 hrs	
Working Time	2-4.5 hrs	
Battery Capacity	1500 mAh	
Material	ABS + PMMA	



COLOUR

G-D8A & D8C

Power	15w	
Charging Time	5 hrs	
Working Time	4-7 hrs	
Battery Capacity	2400 mAh	
Material	ABS + PMMA	

G-D9A & G-D9B & D9C D9D

Po	wer
10w	15w
Chargi	ng Time
5 hrs	5 hrs
Workin	ng Time
4-7 hrs	4-7 hrs
Battery	Capacity
2400 mAh	3600 mAh
Mat	erial
ABS + PMMA	ABS + PMMA





ZY-G2

Power	9w	
Charging Time	3-5 hrs	
Working Time	1-3 hrs	
Battery Capacity	1800 mAh	
Material	PC	



ZY-G1



Power	9w	
Charging Time	3-5 hrs	
Working Time	1-3 hrs	
Battery Capacity	1800 mAh	
Material	PC	

FG-7007

Power	4w	
Charging Time	3-4 hrs	
Working Time	3 hrs	
Battery Capacity	1200 mAh	
Material	PC + PMMA	





G-S2

Power	7w	
Charging Time	6-8 hrs	
Working Time	5-8 hrs	
Battery Capacity	1800 mAh	
Material	ABS + PMMA	



LANTERN

FG-7101








airguidehometech.com





COLOUR



Power	20w	
Charging Time	1 hr	
Working Time	4-5 hrs	
Battery Capacity	2000 mAh	
Material	PBT	

G-YB-105

Power	9w	
Charging Time	6-7 hrs	
Working Time	3-4 hrs	
Battery Capacity	2000 mAh	
Material	PP	





G-C7

Power	9w	
Charging Time	6-7 hrs	20
Working Time	4-5 hrs	
Battery Capacity	2000 mAh	
Material	PP	



8113M

53	/	10
A	IR	
GUI	DG	
a de la composición dela composición de la composición dela composición de la composición de la composición dela composición dela composición de la composic		-

Power	6w	
Charging Time	4-5 hrs	
Working Time	1-4 hrs	
Battery Capacity	1500 mAh	
Material	ABS + PMMA	

MG-8114M

Power	12w	
Charging Time	6-8 hrs	
Working Time	1-6 hrs	
Battery Capacity	1500 mAh	
Material	ABS + PMMA	





MG-8119M

Power	6w	
Charging Time	3 hrs	
Working Time	1-4 hrs	
Battery Capacity	1500 mAh	
Material	ABS + PMMA	



8125M



Power	10w	
Charging Time	4 hrs	
Working Time	1-6 hrs	
Battery Capacity	1500 mAh	
Material	ABS + PMMA	

MG-8115M

Power	6w	
Charging Time	4-5 hrs	
Working Time	1-4 hrs	
Battery Capacity	1500 mAh	
Material	ABS + PMMA	



MG-8123M



ower	12w	
charging Time	3-4 hrs	
Vorking Time	1-5 hrs	
attery Capacity	1500 mAh	
Material	ABS + PMMA	





8117M

Power	10w	
Charging Time	6-8 hrs	
Working Time	1-4 hrs	
Battery Capacity	1500 mAh	
Material	ABS + PMMA	

MG-8116M

Power	6w	
Charging Time	4-5 hrs	
Working Time	1-5 hrs	
Battery Capacity	1500 mAh	
Material	ABS + PMMA	





CONTACT US:

Address : Gala No.17-24, Live On Industrial Estate , Survey No. 164, Nh-08 Road, Kashid Kopar , Kharadtara, Virar East, 401303, Dist Palghar.

Email: sales@airguidehometech.com Website: www.airguidehometech.com

Mobile Number: +91-9619841838 / +91-9820058129